


Sigma Pro


Non-Reflective
Automotive Window Films

Optical & Solar Properties


Ultraviolet Block



Visible Light Transmitted



Total Solar Energy Rejected



Performance results are calculated on 1/4" (6mm) clear glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards

NanoTechnology delivers high solar performance with low reflectivity and durable color

Sigma Pro non-reflective automotive film utilizes nano-technology to replace traditional layers of metal with a fusion of nanoparticles deep within the film. This ensures high performance, durable color, great handling, and no interference with electronic appliances.

The result? A glare free, cool and comfortable interior, a stunning, low reflectance graphite look that won't fade or change, speedy, perfect installation, and uninterrupted use of all your vehicle's high-tech devices.

Available in a range of four light transmissions, from high privacy 05% through to a light 50%.



Powered by
NanoTechnology



With SolarZone Automotive window films:

Feel Cool

SolarZone automotive films filter heat and glare for a more pleasant passenger experience and reduced air-conditioning load.

Look Cool

Choose from a variety of shades and light transmission levels to give your vehicle a custom appearance.

Protect Yourself

SolarZone works like sunscreen to protect your skin by rejecting 99% and over of harmful UV radiation.

Protect Your Car

Protect trim, upholstery, carpets and fittings from the heat, light and UV radiation that cause fading, so your car looks better longer and maintains its value.

Stay Safe

SolarZone films can help reduce the risk of injury from broken glass caused by projectiles, minor accidents or road debris. If security is a concern, check out SolarZone Safe automotive films; they make vehicle glass safer, and more resistant to crime.

Stay Private

Tinted films keep your possessions out of sight.

Stop Squinting

Cuts glare from the sun or from headlights to reduce eyestrain on long trips and in busy city traffic.

Sigma Pro - Optical & Solar Properties

	Sigma Pro 05	Sigma Pro 20	Sigma Pro 36	Sigma Pro 50
Item Number	R058P0A	R058P6A	R058P5A	R058P7A
Visible Light Transmitted %	5	20	36	50
Visible Light Reflected %	6	6	6	7
Ultra Violet Block %	99.7	99.7	99.7	99.7
Total Solar Energy Reflected %	6	6	6	7
Total Solar Energy Transmitted %	22	36	45	54
Total Solar Energy Absorbed %	72	58	49	39
Shading Coefficient	0.49	0.59	0.67	0.73
Total Solar Energy Rejected %	58	48	41	36

MM-WF-ee-Aut-Fil-SigPro-En-HC-152

Performance results are calculated on 1/4" (6mm) clear glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards

US: T: 800-660-5559 | info@hanitatek.com | www.hanitatek.com

Europe: T: +49 (0) 6142-2082 746 | info@hanita-europa.de | www.hanita-europa.de

Australia: T: 1300-456-700 | info@hanitapacific.com.au | www.hanitapacific.com.au

International: T: +972-4-985-9919 | solar@hanitacoatings.com | www.hanitacoatings.com

automotive

